


SUPPLIES & ACCESSORIES

ELANCE



The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code Description Qty

UltraCheck Nylon Reusable Blood Pressure Cuffs



NIBP Cuffs					
714-4001-00	Single tube, MHP	Child	13 - 20 cm	1 Each	
714-4002-00	Single tube, MHP	Small Adult	18 - 26 cm	1 Each	
714-4003-00	Single tube, MHP	Adult	26 - 35 cm	1 Each	
714-4004-00	Single tube, MHP	Adult Long	29 - 38 cm	1 Each	
714-4005-00	Single tube, MHP	Large Adult	32 - 42 cm	1 Each	
714-4006-00	Single tube, MHP	Large Adult Long	35 - 44 cm	1 Each	
714-4007-00	Single tube, MHP	Thigh Cuff	42 - 50 cm	1 Each	

Hose					
714-0018-00	NIBP hose, single tube	Adult	275 cm/9 ft	1 Each	



The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.









Order Code	Description		Qty
ECG Lead Wires & Cables			
ECG Integrated Cables and Lead Wires			
700-0008-22	5-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-23	5-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-24	3-lead Wire Set, Snap, Shielded, AAMI Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
700-0008-25	3-lead Wire Set, Snap, Shielded, IEC Color Coding, with Integrated Cable, Shielded	61cm/10in 305 cm/10 ft	1 Each
ECG Cables			
700-0008-06	Shielded ECG cable, 5-lead, AAMI	305 cm/10 ft	1 Each
700-0008-07	Shielded ECG cable, 5-lead, IEC	305 cm/10 ft	1 Each
700-0008-08	Shielded ECG cable, 3-lead, AAMI	305 cm/10 ft	1 Each
700-0008-09	Shielded ECG cable, 3-lead, IEC	305 cm/10 ft	1 Each
3-Lead ECG Lead Wire Sets, Snap			
700-0007-00	Snap shielded ECG lead wire set, 3-lead, AAMI	61cm/24in	1 Set
700-0007-02	Snap shielded ECG lead wire set, 3-lead, AAMI	102cm/40in	1 Set
700-0007-01	Snap shielded ECG lead wire set, 3-lead, IEC	61cm/24in	1 Set
700-0007-03	Snap shielded ECG lead wire set, 3-lead, IEC	102cm/40in	1 Set










The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code	Description	Qty
ECG Lead Wires & Cables		
5-Lead ECG Lead Wire Sets, Snap		
	700-0007-08 Snap shielded ECG lead wire set, 5-lead, AAMI	61cm/24in 1 Set
	700-0007-10 Snap shielded ECG lead wire set, 5-lead, AAMI	102cm/40in 1 Set
	700-0007-09 Snap shielded ECG lead wire set, 5-lead, IEC	61cm/24in 1 Set
	700-0007-11 Snap shielded ECG lead wire set, 5-lead, IEC	102cm/40in 1 Set
3-Lead ECG Lead Wire Sets, Pinch		
	700-0006-00 Pinch shielded ECG lead wire set, 3-lead, AAMI	61cm/24in 1 Set
	700-0006-02 Pinch shielded ECG lead wire set, 3-lead, AAMI	102cm/40in 1 Set
	700-0006-01 Pinch shielded ECG lead wire set, 3-lead, IEC	61cm/24in 1 Set
	700-0006-03 Pinch shielded ECG lead wire set, 3-lead, IEC	102cm/40in 1 Set
5-Lead ECG Lead Wire Sets, Pinch		
	700-0006-08 Pinch shielded ECG lead wire set, 5-lead, AAMI	61cm/24in 1 Set
	700-0006-10 Pinch shielded ECG lead wire set, 5-lead, AAMI	102cm/40in 1 Set
	700-0006-09 Pinch shielded ECG lead wire set, 5-lead, IEC	61cm/24in 1 Set
	700-0006-11 Pinch shielded ECG lead wire set, 5-lead, IEC	102cm/40in 1 Set
Electrodes		
	369062-001 ECG electrode, transparent tape, adult, single use	Adult 100/Box
	690-0289-00 ECG electrode, transparent tape, adult, single use	Adult 30/Box
	690-0262-00 ECG electrode, transparent tape, general/stress	Adult 30/Box

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code	Description		Qty
Spacelabs TruLink SpO2 Technology			
SpO2 Cable			
700-0287-00	SpO2 adapter cable	305 cm/10 ft	1 Each
Reusable sensors			
	015-0660-00 TruLink SpO ₂ finger sensor	Adult >30 kg/66 lbs	1 Each
Disposable Sensors			
	015-0662-00 TruLink SpO ₂ foam sensor	Adult > 30 kg/66 lbs	24/Box
	015-0663-00 TruLink SpO ₂ vinyl sensor	Adult >30 kg/66 lbs	24/Box
	015-0664-00 TruLink SpO ₂ foam sensor	Pediatric 10-50 kg/22-110 lbs	24/Box
	015-0665-00 TruLink SpO ₂ vinyl sensor	Pediatric 10-50 kg/22-110 lbs	24/Box
	015-0666-00 TruLink SpO ₂ finger sensor	Infant 3-20 kg/7-44 lbs	24/Box
	015-0667-00 TruLink SpO ₂ cloth sensor	Neonatal <3 kg/7 lbs	24/Box

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code	Description	Qty
------------	-------------	-----

LNCS Masimo SET SpO2 Technology

LNCS Adapter Cable



690-0256-00	SpO2 Adapter Cable, Masimo, LNCS	305 cm/10 ft	1 Each
-------------	----------------------------------	--------------	--------

LNCS reusable sensors



690-0247-00	Masimo LNCS DC-I Digit Sensor	Adult > 30 kg	1 Each
-------------	-------------------------------	------------------	--------



690-0248-00	Masimo LNCS DC-IP Pediatric Digit Sensor	Pediatric 10-50 kg	1 Each
-------------	------------------------------------------	-----------------------	--------



690-0249-00	Masimo LNCS TC-I Tip-Clip Ear Sensor	Adult > 30 kg	1 Each
-------------	--------------------------------------	------------------	--------



690-0250-00	Masimo LNCS TF-I Transflectance Forehead Sensor	Adult > 30 kg	1 Each
-------------	-------------------------------------------------	------------------	--------

LNCS disposable sensors



690-0251-00	Masimo LNCS Amtx adhesive sensor, 18 in.	Adult > 30 kg	20/Box
-------------	------------------------------------------	------------------	--------



690-0252-00	Masimo LNCS Pmtx adhesive sensor, 18 in.	Pediatric 10 - 50 kg	20/Box
-------------	------------------------------------------	-------------------------	--------

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code	Description	Qty
------------	-------------	-----

Nellcor OxiMax SpO2 Technology

Cable

700-0290-00	SpO2 Adapter Cable, Nellcor OxiMax	305cm/10ft	1 Each
690-0271-00	SpO2 Adapter Cable, Nellcor	305cm/10ft	1 Each

Reusable Sensors



690-0003-01	Nellcor OxiMax DS-100A finger sensor	Adult	1 Each
-------------	--------------------------------------	-------	--------

Temperature

Temperature Probe

690-0261-01	Skin/Surface Temp probe, reusable, YSI-400	305cm/10ft	1 Each
-------------	--------------------------------------------	------------	--------


Invasive Blood Pressure

Interface Cable



690-0021-00	Compatible with Datex-Ohmeda TC-VTK or Becton Dickinson model 684085 pressure transducers.	366 cm/12 ft	1 Each
-------------	--------------------------------------------------------------------------------------------	--------------	--------

Diaphragm Dome, Single Use



690-0018-00	Diaphragm dome, single use. Rotating luer lock fittings Compatible with Datex-Ohmeda TA101OND		12/Box
-------------	-----------------------------------------------------------------------------------------------	--	--------

The élance family of integrated monitors offers you high-performance monitoring of essential parameters including ECG (3- and 5-lead), respiration, noninvasive blood pressure, peripheral O2 saturation and two temperatures. The “i” models add two channels of invasive blood pressure, and the “c” models add microstream end tidal CO2.



Order Code	Description	Qty
------------	-------------	-----

Invasive Blood Pressure

Pressure Transducer Kits, Single use

690-0008-00	Transducer Kit, Patient Mount, DTX/Plus	152.5 cm/60 in	5/Box
690-0009-00	Transducer Kit, Pole Mount, DTX/Plus	152.5 cm/60 in	5/Box
690-0010-00	Transducer Kit, Pole Mount, DTX/Plus	182.9 cm/72 in	5/Box
690-0020-00	Pressure Monitoring Kit, Single Use		1 Each

Pressure Transducer Accessories

690-0012-00	Transducer Mounting Background		1 Each
690-0034-00	Transducer Holder, Reusable		1 Each

Capnography

Sampling Lines

704-0167-00	FilterLine H Set	Adult/Pediatric	25/PK
704-0168-00	FilterLine Set	Adult/Pediatric	25/PK
704-0170-00	Smart CapnoLine	Pediatric	25/PK
704-0171-00	Smart CapnoLine Plus		25/PK

Recording & Printing

Paper



307568-001	TruLink Thermal Paper, Z-fold Pads, 2- or 4-channel printing, blank paper, 300 sheets/pad	45.7 m/150 ft	10 Pads/Box
------------	-------------------------------------------------------------------------------------------	---------------	-------------